

CLARITYII™

with IntelliTrak technology

Indications

- Body hairs
- Facial fine hairs
- Melasma
- PIH
- Nevus
- Freckles
- Solar lentigines
- Active acne
- Facial telangiectasia
- Flushing
- Rosacea
- Leg veins
- Spider angioma
- Cherry hemangioma
- Nevus flammeus
- Venous lake
- Skin tightening & firming
- Large pores
- Blackheads
- Warts
- Onychomycosis
- Soft fibroma
- Keratosis pilaris
- Scar



SKIN CONCERNS



Are you tired of
shaving and waxing?



Want to get rid of
dark spots?



Can't find any solution for
vascular concerns?



Want to restore
aged skin?

CLARITY II TREATMENTS

Clarity II treatment is a perfect solution that has various benefits

Hair Removal

Non-surgical way to achieve permanent hair reduction for all skin types

Pigmented Lesion Reduction

Non-invasive way to acquire a more even-toned and brighter complexion

Redness & Vein Reduction

Extremely effective way to reduce redness and veins

Skin Rejuvenation

Reliable way to repair your skin, and refresh and renew its health

INDICATIONS

Hair removal

- Body hairs
- Facial fine hairs

Pigmented lesions

- Melasma
- PIH
- Nevus
- Freckles
- Solar lentigines

Vascular lesions

- Active acne
- Facial telangiectasia
- Flushing
- Rosacea
- Leg veins
- Spider angioma
- Cherry hemangioma
- Nevus flammeus
- Venous lake

Skin rejuvenation

- Skin tightening & firming
- Large pores
- Blackheads

Others


- Warts
- Onychomycosis
- Soft fibroma
- Keratosis pilaris
- Scar

UNWANTED HAIRS

Clarity II laser hair removal treatment uses a laser beam that is absorbed by the melanin in the hair follicle. The absorbed laser energy coagulates the hair follicle and its surrounding area thereby destroying the hair and inhibiting further growth

What are the benefits of Clarity II laser hair removal?


- No more shaving or waxing
- Permanent hair removal
- Even works for fine hairs
- Safe for darker skin
- Short treatment time with IntelliTrak mode



Scan QR code to watch video



Hair Removal Treatment




TREATMENT SESSIONS

At least 5 treatments, spaced 4-8 weeks apart, are required to effectively remove unwanted hairs because of the different hair growth cycle of each hair



TREATMENT TIME

Each session usually takes 5 - 30 minutes depending on the size and area to be treated



PREPERATION

The area to be treated should be shaved first to ensure a more comfortable and effective outcome



PAIN LEVEL


All you may feel is a mild “snapping” on the skin. But it is still comfortable with the help of a skin-cooling system

PIGMENTED LESIONS

Clarity II pigment removal is a non-invasive way to achieve a more even-toned, brighter complexion. The laser energy targets unwanted pigment in the upper layers of the skin to greatly reduce or eliminate it

What are the benefits of Clarity II treatment of pigmented lesions?


- Comfortable treatment
- Safe for darker skin
- Removes various pigmented lesions
- Brightening and rejuvenation for all skin types
- No downtime



Scan QR code to watch video



Pigment Removal Treatment



TREATMENT SESSIONS

Your physician will determine the number of treatments you will need depending on the pigmented lesions



TREATMENT TIME

Each session usually takes 5-15 minutes depending on the size and area to be treated



PAIN LEVEL

The discomfort level is generally mild, but may vary depending on the area being treated



DOWNTIME


You may see a slight darkening of the unwanted pigment up to 10 days after treatment, which will fade as your body naturally removes the discoloration

VASCULAR LESIONS

Clarity II uses laser energy absorbed by the blood vessels and converted to heat that shrinks the blood vessels to greatly reduce or eliminate their appearance

What are the benefits of Clarity II vascular lesion treatment?

- Treats various vascular conditions
- Non-invasive
- Non-surgical
- No pain
- Safe and efficient



Scan QR code to watch video



Vascular Treatment



TREATMENT TIME

It could take from 5 -15 minutes depending on the treatment size and area



PAIN LEVEL

The discomfort level is generally mild but may vary depending on the area being treated



DOWNTIME

There is little-to-no downtime. You can go back to normal activities immediately



CLINICAL OUTCOME


Some veins may immediately disappear while others will take some time

AGED SKIN

Clarity II skin rejuvenation is a procedure to restore your skin condition as well as delay your aging process. The heat from Clarity II stimulates production of fibroblasts which then synthesize the collagen and elastic fibers

What are the benefits of Clarity II skin rejuvenation treatment?


- Comfortable treatment
- No downtime
- Produces new collagen and elastic fibers
- Improves enlarged pores
- Safe and effective treatment through temperature sensing



Scan QR code to watch video



Skin Rejuvenation Treatment



TREATMENT SESSIONS

Your physician will work with you to determine the number of treatments you will need



TREATMENT TIME

Each session usually takes from 5 -15 minutes depending on the size and area to be treated



COMFORTABLE TREATMENT

All you may feel is a slight warming as the heat is delivered and accumulated in the skin



NO DOWNTIME

Mild warmth may last around 24 hours. You will simply need to soothe your skin with cooling and moisturization cream

CLINICAL PHOTOS

Hair Removal (Back)



Before



After

Courtesy of Kubilay Yucel, MD, Turkey

** Results may vary by individuals.*

CLINICAL PHOTOS

Hair Removal (Back)



Before



After

Courtesy of Bettina Rummelein, MD, Switzerland

** Results may vary by individuals.*

CLINICAL PHOTOS

Hair Removal (Face)



Before



After

Courtesy of D. Friedman, MD, USA

** Results may vary by individuals.*

CLINICAL PHOTOS

Hair Removal (Beard)



Before



After

Courtesy of Kubilay Yucel, MD, Turkey

** Results may vary by individuals.*

CLINICAL PHOTOS

Hair Removal (Axilla)



Before



After

Courtesy of Kubilay Yucel, MD, Turkey

** Results may vary by individuals.*

CLINICAL PHOTOS

Hair Removal (Bikini Line)



Before



After

Courtesy of Kubilay Yucel, MD, Turkey

** Results may vary by individuals.*

CLINICAL PHOTOS

Hair Removal (Chest)



Before



After

Courtesy of Kubilay Yucel, MD, Turkey

** Results may vary by individuals.*

CLINICAL PHOTOS

Hair Removal (Upper Lips)



Before



After

Courtesy of Bettina Rummelein, MD, Switzerland

** Results may vary by individuals.*

CLINICAL PHOTOS

Pigmented Lesions



Before



After

Courtesy of J.H. Won, MD, South Korea

** Results may vary by individuals.*

CLINICAL PHOTOS

Pigmented Lesions



Before



After

Courtesy of J.H. Won, MD, South Korea

** Results may vary by individuals.*

CLINICAL PHOTOS

Pigmented Lesions



Before



After

Courtesy of B.S. Kim, MD, South Korea

** Results may vary by individuals.*

CLINICAL PHOTOS

Pigmented Lesions



Before



After

Courtesy of D.H. Song, MD, South Korea

** Results may vary by individuals.*

CLINICAL PHOTOS

Pigmented Lesions



Before



After

Courtesy of D.H. Song, MD, South Korea

** Results may vary by individuals.*

CLINICAL PHOTOS

Pigmented Lesions



Before



After

Courtesy of D.H. Song, MD, South Korea

** Results may vary by individuals.*

CLINICAL PHOTOS

Pigmented Lesions (Alex Toning)



Before



After

Courtesy of Ch. Sanchez Saizar MD, Argentina

** Results may vary by individuals.*

CLINICAL PHOTOS

Flushing



Before



After

Courtesy of D.H. Song, MD, South Korea

** Results may vary by individuals.*

CLINICAL PHOTOS

Flushing



Before



After

Courtesy of J.H. Lee, MD, South Korea

** Results may vary by individuals.*

CLINICAL PHOTOS

Telangiectasia



Before



After

Courtesy of Bettina Rummelein, MD, Switzerland

** Results may vary by individuals.*

CLINICAL PHOTOS

Telangiectasia



Before



After

Courtesy of D. Friedman, MD, USA

** Results may vary by individuals.*

CLINICAL PHOTOS

Telangiectasia



Before



After

Courtesy of J.H. Lee, MD, South Korea

** Results may vary by individuals.*

CLINICAL PHOTOS

Telangiectasia



Before




After

Courtesy of B.L. Goo, MD, South Korea

** Results may vary by individuals.*

CLINICAL PHOTOS

Telangiectasia



Before



After

Courtesy of Bettina Rummelein, MD, Switzerland

** Results may vary by individuals.*

CLINICAL PHOTOS

Telangiectasia



Before



After

Courtesy of Bettina Rummelein, MD, Switzerland

** Results may vary by individuals.*

CLINICAL PHOTOS

Spider Angioma



Before




After

Courtesy of Bettina Rummelein, MD, Switzerland

** Results may vary by individuals.*

CLINICAL PHOTOS

Port-Wine Stain



Before



After

Courtesy of J.H. Lee, MD, South Korea

** Results may vary by individuals.*

CLINICAL PHOTOS

Nodular Hemangioma



Before



After

Courtesy of Bettina Rummelein, MD, Switzerland

** Results may vary by individuals.*

CLINICAL PHOTOS

Hemangioma



Before



After

Courtesy of L'ACADEMIE

** Results may vary by individuals.*

CLINICAL PHOTOS

Cherry Hemangioma



Before



After

Courtesy of Laurence Imhof, MD, Switzerland

** Results may vary by individuals.*

CLINICAL PHOTOS

Cherry Hemangioma



Before



After

Courtesy of Laurence Imhof, MD, Switzerland

** Results may vary by individuals.*

CLINICAL PHOTOS

Infantile Spider Angioma



Before



After

Courtesy of Laurence Imhof, MD, Switzerland

** Results may vary by individuals.*

CLINICAL PHOTOS

Facial Veins



Before



After

Courtesy of Laurence Imhof, MD, Switzerland

** Results may vary by individuals.*

CLINICAL PHOTOS

Facial Veins



Before



After

Courtesy of Laurence Imhof, MD, Switzerland

** Results may vary by individuals.*

CLINICAL PHOTOS

Hereditary Hemorrhagic Telangiectasia



Before



After

Courtesy of Laurence Imhof, MD, Switzerland

** Results may vary by individuals.*

CLINICAL PHOTOS

Nevus Flammeus



Before



After

Courtesy of Laurence Imhof, MD, Switzerland

** Results may vary by individuals.*

CLINICAL PHOTOS

Venous Lake



Before



After

Courtesy of Laurence Imhof, MD, Switzerland

** Results may vary by individuals.*

CLINICAL PHOTOS

Venous Malformation



Before



After

Courtesy of Laurence Imhof, MD, Switzerland

** Results may vary by individuals.*

CLINICAL PHOTOS

Congenital Vascular Malformation



Before



After

Courtesy of Laurence Imhof, MD, Switzerland

** Results may vary by individuals.*

CLINICAL PHOTOS

Infantile Hemangioma



Before



After

Courtesy of J.H. Lee, MD, South Korea

** Results may vary by individuals.*

CLINICAL PHOTOS

Keratosis Pilaris



Before



After

Courtesy of S.B. Cho, MD, South Korea

** Results may vary by individuals.*

CLINICAL PHOTOS

Acne



Before



After

Courtesy of L'ACADEMIE

** Results may vary by individuals.*

CLINICAL PHOTOS

Acne Scars



Before



After

Courtesy of DH Song, MD, South Korea

** Results may vary by individuals.*

CLINICAL PHOTOS

Venous Lake



Before



After

Courtesy of D. Friedman, MD, USA

** Results may vary by individuals.*

CLINICAL PHOTOS

Angioma



Before



After

Courtesy of D. Friedman, MD, USA

** Results may vary by individuals.*

CLINICAL PHOTOS

Skin Tone Improvement



Before



After

Courtesy of JH Won, MD, South Korea

** Results may vary by individuals.*

CLINICAL PHOTOS

Skin Tone Improvement



Before



After

Courtesy of JH Won, MD, South Korea

** Results may vary by individuals.*

CLINICAL PHOTOS

Trichostasis Spinulosa



Before



After

Courtesy of SE Chang, MD, South Korea

** Results may vary by individuals.*

CLINICAL PHOTOS

Onychomycosis



Before



After

Courtesy of Bettina Rummelein, MD, Switzerland

** Results may vary by individuals.*

CLINICAL PHOTOS

Onychomycosis



Before



After

Courtesy of Bettina Rummelein, MD, Switzerland

** Results may vary by individuals.*