

LABORATOIRES
FILOGA
— PARIS



SCIENTIFIC BROCHURE
TIME-FILLER 5XP

TIME-FILLER 5XP

The best-selling anti-wrinkle cream in the
FILORGA product line inspired by five aesthetic
medicine techniques*

A clinically proven formula to help correct
five types of wrinkles ^[1]



5XP COMPLEX

A COMBINATION OF FIVE
INGREDIENTS

CREAM

Normal to dry skin



CREAM-GEL

Mixed to oily skin
[including Zinc-PCA 1%]




*Cosmetic efficacy. [1] Clinical study - 30 to 33 subjects - twice-daily application during 56 days.

CREAM

CLINICALLY PROVEN EVIDENCE OF ANTI-WRINKLE EFFICACY OF THE CREAM

CONCLUSIVE RESULTS

A significant volume reduction on five face
and neck wrinkles after 28 days



Results of an observational clinical study

* $p < 0.05$ compared to control (day 0 of the same group of subjects)



/ CLINICAL PROTOCOL

- / 33 women ages between 45 and 65 years
- / Normal to dry skin with 50% subjects with sensitive skin
- / Phototype I to III
- / Application of the cream twice daily on the face and neck for 56 days
- / Subjects served as their own controls
- / Study approved by an ethics committee

CREAM

VISIBLE RESULTS AFTER 28 DAYS

DAY 0



DAY 28 ^[1]



-23%

Glabellar

-26%

Forehead

/ CUTANEOUS CHARACTERISTICS OF THE VOLUNTEER

/ Results of daily use after 28 days

/ Fitzpatrick phototype III


/ Normal skin, non-sensitive

CREAM-GEL

CLINICALLY PROVEN EVIDENCE OF ANTI-WRINKLE EFFICACY OF THE CREAM-GEL

CONCLUSIVE RESULTS

A significant volume reduction on five face
and neck wrinkles after 28 days



Results of an observational clinical study

* $p < 0.05$ compared to control (day 0 of the same group of subjects)



/ CLINICAL PROTOCOL


- / 30 women ages between 45 and 65 years
- / Combination to oily skin with 50% subjects with sensitive skin
- / Phototype I to III
- / Application of the cream-gel formulation twice daily on the face and neck for 56 days
- / Subjects served as their own controls
- / Study approved by an ethics committee

CREAM-GEL

AN EFFECTIVE ACTION MECHANISM IN THE DERMIS

RESULTS

A significant remodeling of the extracellular
matrix after 6 days



/ EX-VIVO PROTOCOL

- / 6 human skin explants (woman, 60 years) per group
- / Daily application for 6 days
- / Histologic staining of skin sections
- / * $p < 0.05$ compared to untreated