

OPERATION MANUAL



NP-300-SLPT v 1.0 ©2018 NEWPONG CO., LTD. Confidential and Proprietary.

Composition

Features & Functions

Installation & Preparation

Operation(UI)

Application

Treatment guideline



Composition

Features & Functions

Installation & Preparation

Operation(UI)

Application

Treatment guide line



Composition

SONOCARE is consisted of below parts. Please check whether the below parts are included in the package or there any damages of main body or accessories.

No.	Item name		Quantity	Frequency
1	sonoCare main body		1EA	-
2	Sy Probe	5	1EA	1Mhz / 3 MHz
3	Sb Probe		1EA	3Mhz / 10 MHz
(4)	Power cable		1EA	-

Composition

Features & Functions

Installation & Preparation

Operation(UI)

Application

Treatment guideline



1. Main body

No.	Item name	Description
1	LCD monitor	Display, Tilt Function (0 to 90° angle)
2	Probe connection port	To connect the probe(color fixed) Yellow : for Sy probe Blue : for Sb probe
3	Foot SW connection port	To connect the foot SW
4	Ventilation area	To cool the main body
5	Power input port	To connect the power cable
6	Upgrade port	To upgrade the product
7	Power button	On/OFF button

2. Sy, Sb Probe



Sy Probe(1Mhz, 3Mhz)

Sb Probe(3Mhz, 10Mhz)

No.	Item name	Description		
1	Probe radial part	Parts which emit the ultrasound energy		
2	Handle	Handle of probe		
3	Probe cable	To connect the probe to main body		

Composition

Features & Functions

Installation & Preparation

Operation(UI)

Application

Treatment guideline



1. Connect the power code with the main body and Switch on the on/off switch on the power input port

2. Connect cables to main body (Colors indicate positions of each cables)

3. Press the power button to switch on SONOCARE









Installation & Preparation

4. Enter password. '0000' then click 'ENTER'

- 5. Select "Face" or "Body" to enter main program page.
- 6. Now you are ready to start with SONOCARE







Composition

Features & Functions

Installation & Preparation

Operation(UI)

Application

Treatment guide line



1. Main Display





2. Select Program



On main display, touch [\square , \square] icon to select program [SC01 ~ SC11] when the program number is Orange color[SC 01~SC11].



3. Select Other Value(Time/ Level)



Already optimal values (Time / Level) are set based on each Program. Depending on diagnosis, it is possible to change values [Level / Treatment Time]

- 1. Click diameter which you want to change, then activated diameter will be changed to **Orange color**.
- 2. Adjust value with icons[\square , \square].

4. Start/Pause/Reset



- 1. Touch "Start" [] icon to start treatment.
- 2. Treatment can be paused by touching "pause" [1] icon.
- 3. When the treatment is paused, you can change "level" by touching [▲, ▼] icons.
- 4. To restart treatment, touch "reset" [] icon.

5. Alarm sound and Pop-up message

Error Message	Please check your probe connection	Check your probe connection and touch the screen to continue.
Alarm sound	When frequency is changed	Coutinue procedure.
Alarm sound	Change Probe or treat opposite side	Change probe or ready to treat opposite side. And touch the screen to continue.
& Pop-up message.	Treatment Done	Treatment is finished. If you want to do another procedure, touch the screen to continue.

Composition

Features & Functions

Installation & Preparation

Operation(UI)

Application

Treatment guide line



Application

No.	Program	Probe	Frequency	Level	Treatment time
1	Tightening	Blue	10, 3/10Mhz		
2	Wrinkle	Blue	10, 3/10Mhz		
3	Hydration	Blue	10, 3/10Mhz		
4	Sonophoresis	Blue	10, 3/10Mhz		
5	Acne	Blue	10, 3/10Mhz		
6	Soothing/Flush	Blue	10, 3/10Mhz		
7	Acne scar	Blue			
8	Contusion	Blue			
9	Tightening	Yellow			
10	Hydration	Yellow			
11	Sonophoresis	Yellow			



Composition

Features & Functions

Installation & Preparation

Operation(UI)

Application

Treatment guideline



















Application





enjoy your Beautiful Life

